



T.			U_f	I_f	U_{tr}	U_p	I_o	I_p	C_{alt}
			V	A	V	V	mA	mA	pF
HVR 1	Mul	1	2	0,29	6000	15000	5		
HVR 2	Mul	2	2	1,5	6000	20000	3		
NG 3020 A	Low	3	2	1,1	3000		14		
NG 6020 A	Low	3	2	1,1	6000		5		
NG 8020 A	Low	3	2	1,5	10000		2		
SU 25	Cos	4	2	0,5	7000		1,5		
SU 2130	Cos	1	2	1	5000		2		
SU 2150	Cos	1	2	1,15	8000		2		
SU 2150 A	Cos	2	2	1,5	5000		5		
U 16	MOG	1	2	1	5000		5		
U 21	Maz	2	2	1,85	4500	12500	5	55	
U 22	Maz	5	2	2	5200	14500	1	20	2,2
U 24	Maz	4	2	0,15	7800	20000	0,5	15	1,3
U 25	Maz	7	2	0,2	7800	20000	0,5	15	0,6
U 26	Maz	6	2	0,35		25000	0,2		
U 33	MOG	1	2	1	6300	18000	3	20	2,5
VLS 61	STCE	1	2	1.2	6000	15000	3	10	

Equivalents

NG 6020 Low = VLS 61	U 47	MOG = U 25	U 49	MOG = U 26	3075 A	STCE = VLS 61
----------------------	------	------------	------	------------	--------	---------------

